

TECHNICAL EVALUATION CATEGORY - 8 Endoscopy
Product Evaluation Parameters

| S/N | Name of firm | Name of Item | Conformance to the specification subject to the clearance on 5/19/11 | | | | | | | | | | Firm / Bidder Evaluation Parameters | | Firm / Bidder Evaluation Parameters | | Total Score will be divided by 100 and multiply by 70 |
|-----|--------------|----------------------------------------------|----------------------------------------------------------------------|--------|---------------------|-------------------|-------------------|------------------|--------------------------|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|----------------------|-------------------------------------|--|-------------------------------------------------------|
| | | | Compliance to the specification subject to the clearance on 5/19/11 | Review | Relevant experience | Previous sector 2 | Country of origin | Equipment in use | Performance with MTC/MAC | DAE (1 mark per mark) | Annual turnover last three years <th>Instantly paid 10-20-25-30-31-21-22 <th>Working with part for 3 year <th>Post warranty 3 year </th></th></th> | Instantly paid 10-20-25-30-31-21-22 <th>Working with part for 3 year <th>Post warranty 3 year </th></th> | Working with part for 3 year <th>Post warranty 3 year </th> | Post warranty 3 year | | | |
| 1 | Version | Medical Oryctology | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 2 | Version | Medical Endoscopy with | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 3 | Version | Medical Endoscopy for | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 4 | Version | Medical Endoscopy with | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 5 | Version | Medical Endoscopy | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 6 | Version | Video Gastroendoscopy for MPO, Olympus Japan | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 7 | Version | Medical Endoscopy with | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 8 | Version | Medical Endoscopy with | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 9 | Version | Medical Endoscopy with | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 10 | Version | Rigid Medical Endoscopy with | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 11 | Version | Rigid Medical Endoscopy with | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 12 | Version | Rigid Medical Endoscopy with | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 13 | Version | Flexible Medical Endoscopy with | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 14 | Version | Flexible Medical Endoscopy with | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 15 | Version | Visual Sealing System, ESG | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 16 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 17 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 18 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 19 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 20 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 21 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 22 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 23 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 24 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 25 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 26 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 27 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 28 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 29 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 30 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 31 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 32 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 33 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 34 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 35 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 36 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 37 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 38 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 39 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 40 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 41 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 42 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 43 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 44 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 45 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 46 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 47 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 48 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 49 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 50 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 51 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 52 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 53 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 54 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 55 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 56 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 57 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 58 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 59 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 60 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 61 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 62 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 63 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 64 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 65 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 66 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 67 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 68 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 69 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 70 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 71 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 72 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 73 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 74 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 75 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 76 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 77 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 78 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 79 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 80 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 81 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 82 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 83 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 84 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 85 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 86 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 87 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 88 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 89 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 90 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 91 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 92 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 93 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 94 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 95 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 96 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 97 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 98 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |
| 99 | Version | Visual Sealing System | 50 | 9 | 6 | 6 | 2 | 6 | 6 | 3 | 3 | 2 | 10 | 67.9 | | | |

| Sr. No | Name of Firm | Name of Firm | Technical Evaluation Category - C (Radiotherapy) | | | | | | | | | | Firm / Bidder Evaluation Parameters | | | | Total Score will be divided by 100 and multiplied by 70 |
|--------|-------------------------|----------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|-----------------------------------------|----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------|---------------------------------------------------------------------------------------------------|-------------------------------------|------|--|--|------------------------------------------------------------------|
| | | | Conformance to the specification subject to the clearance on Sample test | | | Product Evaluation Parameters | | | Firm / Bidder Evaluation Parameters | | | | | | | | |
| | | | Relevant experience of product in the specified field shall be deduced from the attached non responsive | Relevant experience of public sector 3 | Relevant experience of private sector 2 | In case of country quoted equipment in USA, Europe, Japan 6 marks, other than USA will get 3 marks | Firm performance with MTC/MNC 02 Marks, the firm attesting first time 01 mark | DQE (a) marks per DQE Mark 02 marks graduate engineer FCC registered 02 marks per engineer max (05 Marks) | Financial capability annual turnover last three years 300-500m (\$ 1m) more than 500M (05 Marks) | Income tax paid 19-30-20-21, 21-22 1 mark each year 1 mark for each year (5 Marks) | working other than 1 mark, in RFP 3 marks | First warranty/Mgt part for 3 year lowest will get 10 marks 2nd lowest 7 marks 3rd lowest 4 marks | 0 | 54.6 | | | |
| 1 | Siemens | 1000MA DR System | 48 | 3 | 0 | 6 | 1 | 6 | 5 | 3 | 3 | 0 | 52.5 | 56 | | | |
| | | Multi Impact C Siemens | 48 | 0 | 0 | 3 | 2 | 6 | 5 | 3 | 3 | 0 | 56 | | | | |
| 2 | Siemens | Digital Fluoroscopy Lumbus DRF MAX, SEMENS | 50 | 3 | 0 | 6 | 1 | 6 | 5 | 3 | 3 | 0 | 53.9 | 54.6 | | | |
| | | Digital Fluoroscopy X-ray System 7700 Luminge | 50 | 3 | 3 | 3 | 2 | 6 | 5 | 3 | 3 | 0 | 54.6 | | | | |
| | | Digital Fluoroscopy DRF FA WOM | 50 | 0 | 3 | 3 | 2 | 6 | 5 | 3 | 3 | 10 | 59.5 | | | | |
| | | 500 ma Digital System HES-538 Ussem | 45 | 3 | 3 | 3 | 2 | 6 | 5 | 3 | 3 | 0 | 51.1 | | | | |
| 3 | Medipress | Digital Radiography System SOOMA WDA | 48 | 0 | 0 | 3 | 2 | 6 | 5 | 3 | 3 | 10 | 56 | 55.3 | | | |
| | | DR Mobile X-ray /2008 Luminge | 50 | 3 | 3 | 3 | 3 | 6 | 5 | 3 | 3 | 0 | 55.3 | | | | |
| 4 | Medico | DR Mobile X-ray /2008 Luminge | 50 | 3 | 3 | 3 | 3 | 6 | 5 | 3 | 3 | 0 | 55.3 | 61.6 | | | |
| | | Color Doppler DC-40 Mindray | 50 | 6 | 0 | 3 | 2 | 6 | 5 | 3 | 3 | 10 | 61.6 | | | | |
| 5 | Ideal Business Products | DR-A-DICOM Color Doppler | 3000B Storage offered whereas 10000B was required, 2) Required specifications are not indicated in the attached brochure, 3) FDA is not of quoted model. | | | | | | | | | | | | | | |
| | | Color Doppler DC-40 Mindray | 50 | 6 | 0 | 3 | 2 | 6 | 5 | 3 | 3 | 10 | 61.6 | | | | |
| 6 | Verter Medical Products | Ultra sound unit with Linear Probe, JUMPEK Siemens | 48 | 3 | 0 | 6 | 2 | 6 | 5 | 3 | 3 | 4 | 56 | 61.6 | | | |
| | | Eli-30 Olson | 50 | | | | | | | | | | | | | | |
| 7 | Verter Medical Products | Ultra sound unit with Linear Probe TE-7, Mindray | 50 | 3 | 3 | 3 | 2 | 6 | 5 | 3 | 3 | 10 | 61.6 | 57.4 | | | |
| | | Echo Ultrasound unit JUMPEK, SEMENS | 50 | 0 | 0 | 6 | 2 | 6 | 5 | 3 | 3 | 7 | 57.4 | | | | |
| 8 | Medico | Echo Ultrasound unit, CAM 10 Olson | 5000B Storage offered whereas 10000B was required, 2) Required specifications are not indicated in the attached brochure, 3) FDA is not of quoted model. | | | | | | | | | | | | | | |
| | | Echo Ultrasound unit DC-80 Mindray | 50 | 6 | 3 | 3 | 2 | 6 | 5 | 3 | 3 | 10 | 63.7 | | | | |
| 9 | Medico | ANVIM-5000K ECONOM CO, KOREA C-AM | 50 | 6 | 3 | 3 | 1 | 6 | 5 | 3 | 3 | 0 | 54.6 | 63.7 | | | |
| | | ANVIM-5000K ECONOM CO, KOREA C-AM | 50 | 6 | 3 | 3 | 1 | 6 | 5 | 3 | 3 | 0 | 54.6 | | | | |

3

| Sr. No | Name of Firm | Name of Item | Technical Evaluation Category- E Dentistry | | | | | | | | | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|---------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|-----------------------------------------------------------------------------|-------------------------------------------------|-----------------------------------------------------------------------------------------------------------|----------------------------------------------------|------|
| | | | Product Evaluation Parameters | | | | | Firm / bidder Evaluation Parameters | | | | | |
| Conformance to the specification subject to the clearance on Sample test | | | After Sale Past Performance IHR capability | | Financial capability | | Firm / bidder Evaluation Parameters | | Firm / bidder Financial Strength | | | | |
| conformance to the SMBGCH specification, max 3 deviation (not effecting performance of product) shall be accepted, each deviation 2 marks shall be deducted less than 44 shall be non responsive | | | Relevant experience Public sector 3 performance of the quoted model in teaching hospital 3 Marks/performance | Relevant experience Private sector 2 performance of the quoted model in teaching hospital 3 Marks/performance | In case of country of origin of the quoted equipment is USA Europe Japan 6 marks, other than USA will get 3 marks | firm performance with MTI-MMC 02 Marks, the firm participating first time 01 mark | DAE 01 mark per DAE Max 02 marks graduate engineer-PEC registered 02 marks per engineer max marks=4 | annual turnover last three years 300-500m (3 marks) more than 500m (05 Marks) | Income tax paid 19-20, 20-21, 21-22 1 mark each year 1 mark for each year). | workshop other than Kpk 2 mark, In KPNP 3 marks | Post warranty %age with part for 3 year lowest will get 10 Marks 2nd lowest 7 Marks rest will get 4 marks | Total Score will be divided by 100 and multi by 70 | |
| | | | 50 | 59 | 65 | 71 | 73 | 79 | 84 | 87 | 90 | 100 | |
| 1 | Medepress | Dentistry Lot - Alrax AU12 (FDA,CE) | 48 | 6 | 6 | 3 | 2 | 6 | 5 | 3 | 3 | 10 | 64.4 |
| 2 | Ideal Business Products | Complete Lot Not Quoted, AV-A-3600, Foshan Anya Medical | | | | | | | | | | | |

(9)

| 5. No | Name of Firm | Name of Item | Product Evaluation Parameters (INCENTIVE OR DISINCENTIVE) | | | | | | | | | | Firm / Bidder Evaluation Parameters | | | |
|-------|-----------------|-----------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|------------------------------------|------------------------------------------------------------------------------------------------|------------------------------------------------------------|------------------------------------------------------------------------------------|----------------------------------------------------------------------------|-----------------------------------------------------------------------------|-----------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|-------------------------------------|------|------|--|
| | | | Conformance to the specification subject to the clearance on sample test | | | After Sale Part Performance / IIR capability | | | Financial capability | | Firm / Bidder Evaluation Parameters | | Firm / Bidder Financial Strength | | | |
| | | | conformance to the S2ABCO specification, max 3 deduction (not affecting performance of product) shall be accepted, each deduction 2 marks shall be deducted less than 44 shall be non responsive | Relevant experience Public | Relevant experience Private sector | In case of country of origin of the quoted equipment is USA or other than USA will get 3 marks | Firm performance with the DAE including first time OI mark | DAE OI mark per marks graduate engineer PTC registered OI marks per engineer marks | annual turnover last 3 years (100-500m) (1 mark more than 500M) (05 Marks) | Income tax paid (18-20% 2021, 21-22) 1 mark each year 1 mark for each year. | working other than 1st 2 marks, in 1st 2 marks will get 4 marks | Post warranty 3 year warranty 3 year lowest will get 10 marks 2nd lowest 7 marks 3rd lowest 4 marks will get 4 marks | 100 | 57.4 | 57.4 | |
| 1 | MK Associates | Baby Incubator B1500, Baby Incubator B3, COMEN | 50 | 59 | 55 | 71 | 73 | 79 | 84 | 87 | 90 | 100 | 57.4 | 57.4 | | |
| | Mediexpress | | 50 | 9 | 6 | 3 | 2 | 6 | 3 | 3 | 3 | 10 | 64.5 | 64.5 | | |
| 2 | | Transport Incubator | | | | | | | | | | | | | | |
| 3 | | Transport Incubator | | | | | | | | | | | | | | |
| 4 | | Resuscitation unit | | | | | | | | | | | | | | |
| 5 | Mediexpress | Infant Resuscitator BOBO, COMEN | 50 | 6 | 0 | 3 | 2 | 6 | 3 | 3 | 3 | 10 | 60.2 | 60.2 | | |
| 6 | Mediexpress | Neonatal Monitor COI, COMEN | 50 | 0 | 3 | 3 | 2 | 6 | 5 | 3 | 3 | 10 | 58.1 | 58.1 | | |
| | Friends Traders | Neonatal Monitor UMIC 17, Mindray | 50 | 0 | 0 | 0 | 2 | 6 | 5 | 3 | 3 | 7 | 55.3 | 55.3 | | |
| 7 | Mediexpress | Ventilator with HFO -7R Alcon Medical Ventilator Servo-V, Genting | 50 | 3 | 3 | 6 | 2 | 6 | 5 | 3 | 3 | 10 | 63.7 | 63.7 | | |
| | Mediland | Ventilator Servo-V, Genting | 48 | 0 | 0 | 6 | 2 | 6 | 5 | 3 | 3 | 4 | 53.9 | 53.9 | | |
| | Verter | Ventilator with HFO Babylog VN800, Dräger | 48 | 6 | 0 | 6 | 2 | 6 | 5 | 3 | 3 | 7 | 60.2 | 60.2 | | |
| 8 | Friends | Ventilator SV 300, Mindray | 50 | 3 | 6 | 3 | 2 | 6 | 5 | 3 | 3 | 7 | 61.6 | 61.6 | | |
| | Mediexpress | Ventilator evolution 3eT, event Medical Ventilator Servo-Air, Genting | 50 | 9 | 6 | 6 | 2 | 6 | 5 | 3 | 3 | 10 | 65.8 | 65.8 | | |
| | Mediland | Ventilator Servo-Air, Genting | 46 | 0 | 0 | 6 | 2 | 6 | 5 | 3 | 3 | 4 | 52.5 | 52.5 | | |
| | Verter | Ventilator SAVINA 100, Dräger | 48 | 9 | 6 | 6 | 2 | 6 | 5 | 3 | 3 | 4 | 64.4 | 64.4 | | |
| 9 | Mediexpress | Defibrillator s8, COMEN | 50 | 3 | 6 | 3 | 2 | 6 | 5 | 3 | 3 | 10 | 61.7 | 61.7 | | |
| | Friends | Defibrillator Bene heart O3, Mindray | | | | | | | | | | | | | | |
| 10 | Friends | Anesthesia Workstation A7 with EM15M, Mindray | 50 | 3 | 0 | 3 | 2 | 6 | 5 | 3 | 3 | 4 | 53.3 | 53.3 | | |
| | Mediexpress | Anesthesia Workstation Prima 460, Penlon | 50 | 6 | 6 | 6 | 2 | 6 | 5 | 3 | 3 | 10 | 67.9 | 67.9 | | |
| | Verter | Anesthesia Workstation ATLANTIS 350, Dräger | 50 | 9 | 3 | 6 | 2 | 6 | 5 | 3 | 3 | 7 | 55.4 | 55.4 | | |
| | Mediland | Anesthesia Workstation Flow I C20, Genting | 46 | 0 | 0 | 6 | 2 | 6 | 5 | 3 | 3 | 4 | 52.5 | 52.5 | | |

6

| Sr. No | Name of Firm | Name of Item | Product Evaluation Parameters Cat-G-Monitors | | | | | | | | | | Firm / Bidder Evaluation Parameters | | | | |
|--------|-----------------|------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------|----|----|----|----|----|----|----|---|----|--------------------------------------------|------|--|--|-------------------------------------|
| | | | Conformance to the specification subject to the clearance on Sample test | | | | | | | | | | After Sale Post Performance IHR capability | | | | Firm / Bidder Evaluation Parameters |
| | | | 59 | 65 | 71 | 73 | 79 | 84 | 87 | 90 | | | | | | | |
| 1 | MedExpress | Patient Monitor NCI12, COMEN | 50 | 6 | 6 | 3 | 2 | 6 | 5 | 3 | 3 | 3 | 10 | 65.8 | | | |
| | Friends Traders | Patient Monitor EPM12M, Mindray | 50 | 0 | 0 | 3 | 2 | 6 | 5 | 3 | 3 | 7 | 55.3 | | | | |
| 2 | Friends Traders | Cardiac Monitor EPM15, Mindray | 50 | 3 | 0 | 3 | 2 | 6 | 5 | 3 | 3 | 7 | 57.4 | | | | |
| | MedExpress | Cardiac Monitor K1SPPro, COMEN | 50 | 6 | 6 | 3 | 2 | 6 | 5 | 3 | 3 | 10 | 65.8 | | | | |
| 3 | MedExpress | ECG Machine 3 Channel H3, COMEN | 50 | 6 | 6 | 3 | 2 | 6 | 5 | 3 | 3 | 10 | 65.8 | | | | |
| | Friends Traders | ECG Machine Beneheart R3, Mindray | 48 | 9 | 3 | 3 | 2 | 6 | 5 | 3 | 3 | 7 | 62.3 | | | | |
| 4 | MedExpress | Modular Patient Monitor K1SPPro, COMEN | 50 | 6 | 6 | 3 | 2 | 6 | 5 | 3 | 3 | 10 | 65.8 | | | | |
| | Friends | Modular Patient Monitor EPM15, Mindray | 50 | 3 | 0 | 3 | 2 | 6 | 5 | 3 | 3 | 7 | 57.4 | | | | |
| 5 | Friends | Central Monitoring System Benevision C5, Mindray | 50 | 9 | 3 | 3 | 2 | 6 | 5 | 3 | 3 | 7 | 63.7 | | | | |
| | MedExpress | Central Monitoring System CMS 57A8800, COMEN | 50 | 0 | 3 | 3 | 2 | 6 | 5 | 3 | 3 | 10 | 59.5 | | | | |
| 6 | MedExpress | 12 Channel ECG Machine, H12 COMEN | 50 | 6 | 9 | 3 | 2 | 6 | 5 | 3 | 3 | 10 | 67.9 | | | | |
| | Friends | Heart R12 Major deviation 10 inch screen was required quoted model have 8 inch screen, Mindray | | | | | | | | | | | | | | | |
| 7 | MedExpress | Phototherapy Units with Blue and Day Light BL70, COMEN | 50 | 6 | 6 | 3 | 2 | 6 | 3 | 3 | 3 | 10 | 64.4 | | | | |
| | | Phototherapy Unit | | | | | | | | | | | | | | | |

9

| Sr No | Name of Firms | Company Evaluation | |
|-------|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| | | Reason of Disqualification | |
| 1 | Medequips | As as per bid Solicitation Documents Post warranty not provided on STAMP Paper, Bid Incomplete | |
| 2 | Medap International | As as per bid Solicitation Documents Post warranty not provided on STAMP Paper, Bid Incomplete | |
| 3 | Labcare enterprises | As as per bid Solicitation Documents Post warranty not provided on STAMP Paper, Bid Incomplete | |
| 4 | Matora Engineering | As as per bid Solicitation Documents Post warranty not provided on STAMP Paper, Bid Incomplete | |
| 5 | Noor International | As as per bid Solicitation Documents Post warranty not provided on STAMP Paper, Bid Incomplete | |
| 6 | Veritron | As as per bid Solicitation Documents Post warranty not provided on STAMP Paper, Bid Incomplete | |
| 7 | Hospicare system | As as per bid Solicitation Documents Post warranty not provided on STAMP Paper, Bid Incomplete | |
| 8 | Tech Access International | As as per bid Solicitation Documents Post warranty not provided on STAMP Paper, Bid Incomplete | |
| 9 | Fresenias Medical | As as per bid Solicitation Documents Post warranty not provided on STAMP Paper, Bid Incomplete | |
| 10 | Biotech Services | As as per bid Solicitation Documents Post warranty not provided on STAMP Paper, Bid Incomplete | |
| 11 | Hospital Supply Corporation | As as per bid Solicitation Documents Post warranty not provided on STAMP Paper, Bid Incomplete | |
| 12 | OptiSurg | As as per bid Solicitation Documents Post warranty not provided on STAMP Paper, Bid Incomplete | |
| 13 | Lab Link | As as per bid Solicitation Documents Post warranty not provided on STAMP Paper, Bid Incomplete | |
| 14 | Global Traders | As as per bid Solicitation Documents Post warranty not provided on STAMP Paper, Bid Incomplete in Medical Equipment, however Qualified in Instruments catagery Only | |

Note: Firms who did not reached eligible criteria due bid being incomplete / non responsive

| Sl. | Company Name | Registration with NTN /Valid Income Tax Registration/ Valid Sales Tax Registration. | Manufacturer or their Authorized Dealer only | The bidder must have minimum (05) Five years relevant experience in the relevant field. | Mandatory certificates from the following are given with product specifications. 1.US FDA (510K)2.CE/EC3.MH LW | This undertaking should be tender specific. Submission of undertaking on legal valid and attested stamp paper that the firm is NOT BLACKLISTED by any of Provincial or Federal Government Department, Agency, Organization or autonomous body anywhere in Pakistan. (Provide copy of affidavit attached as annex in this document on non-judicial stamp paper) | The bidder has NOT been defaulter / insolvent nor bankrupt in past from any government department or financial institution. | The firm CANNOT participate in the capacity of Joint Venture | Remarks |
|-----|------------------------|-------------------------------------------------------------------------------------|----------------------------------------------|-----------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|--------------|
| 1 | M/S Endokare | Yes | Yes | Yes | NO | Yes | Yes | No | Disqualified |
| 2 | M/S Verizon | Yes | Yes | Yes | Yes | Yes | Yes | No | Qualified |
| 3 | M/S Medco | Yes | Yes | Yes | Yes | Yes | Yes | No | Qualified |
| 4 | M/S Hassan Enterprises | Yes | Yes | Yes | Yes | Yes | Yes | No | Qualified |
| 5 | M/S Technology Links | Yes | Yes | Yes | NO | Yes | Yes | No | Qualified |
| 6 | M/S Global Traders | Yes | Yes | Yes | NO | Yes | Yes | No | Qualified |
| 7 | M/S Idea Medicals | Yes | Yes | Yes | Yes | Yes | Yes | No | Qualified |
| 8 | M/S MedExpress | Yes | Yes | Yes | Yes | Yes | Yes | No | Qualified |
| 9 | M/S Verrex | Yes | Yes | Yes | Yes | Yes | Yes | No | Qualified |
| 10 | M/S Friends Traders | Yes | Yes | Yes | Yes | Yes | Yes | No | Qualified |
| 11 | M/S Ideal Business | Yes | Yes | Yes | Yes | Yes | Yes | No | Qualified |
| 12 | M/S Mediland | Yes | Yes | Yes | Yes | Yes | Yes | No | Qualified |
| 13 | M/S MKJ Associates | Yes | Yes | Yes | Yes | Yes | Yes | No | Qualified |
| 14 | M/S B. Braun | Yes | Yes | Yes | Yes | Yes | Yes | No | Qualified |
| 15 | M/S Siemens | Yes | Yes | Yes | Yes | Yes | Yes | No | Qualified |
| 16 | M/S Jasani Scientifics | Yes | Yes | Yes | Yes | Yes | Yes | No | Qualified |

(11)

M/S

| Sr No | Name of Firms | Reason of Disqualification |
|-------|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | M/s Medequips | As as per bid Solicitation Documents Post warranty not provided on STAMP Paper, Bid Incomplete |
| 2 | M/s Medap International | As as per bid Solicitation Documents Post warranty not provided on STAMP Paper, Bid Incomplete |
| 3 | M/s Labcare enterprises | As as per bid Solicitation Documents Post warranty not provided on STAMP Paper, Bid Incomplete |
| 4 | M/s Matora Engineering | As as per bid Solicitation Documents Post warranty not provided on STAMP Paper, Bid Incomplete |
| 5 | M/s Noor International | As as per bid Solicitation Documents Post warranty not provided on STAMP Paper, Bid Incomplete |
| 6 | M/s Veriton | As as per bid Solicitation Documents Post warranty not provided on STAMP Paper, Bid Incomplete |
| 7 | M/s Hospicare system | As as per bid Solicitation Documents Post warranty not provided on STAMP Paper, Bid Incomplete |
| 8 | M/s Tech Access International | As as per bid Solicitation Documents Post warranty not provided on STAMP Paper, Bid Incomplete |
| 9 | M/s Fresenius Medical | As as per bid Solicitation Documents Post warranty not provided on STAMP Paper, Bid Incomplete |
| 10 | M/s Biotech Services | As as per bid Solicitation Documents Post warranty not provided on STAMP Paper, Bid Incomplete |
| 11 | M/s Hospital Supply Corporation | As as per bid Solicitation Documents Post warranty not provided on STAMP Paper, Bid Incomplete |
| 12 | M/s Optisurg | As as per bid Solicitation Documents Post warranty not provided on STAMP Paper, Bid Incomplete |
| 13 | M/s Lab Link Enterprises | As as per bid Solicitation Documents Post warranty not provided on STAMP Paper, Bid Incomplete |
| 14 | M/s Global Traders | As as per bid Solicitation Documents Post warranty not provided on STAMP Paper, Bid Incomplete, however Qualified in Instruments category Only. |

Note: Firms who did not reached eligible criteria due bid being incomplete / non responsive

HOD/End User Ophthalmology Member Technical *[Signature]* HOD/End User Radiology Member Technical *[Signature]*

Director Finance *[Signature]* Member Manager Procurement Member *[Signature]* HOD/End User Paed Surgeon Member Technical *[Signature]* Electronics Engineer Member Technical *[Signature]*

HOD/End User In-Charge OT Member Technical *[Signature]* BBCH Secretary Member *[Signature]* Chairman Procurement Committee *[Signature]*

Approved By: *[Signature]*
 Project Director
 MTI SMBCH Mardan

(12)